



Service-Information

Einbauherd AKP 909 AV

8577 909 29010

Letzte Änderung: 07.06.2008

Anlagedatum: 07.06.2008



Ersatzteilliste	2
Einbauskizze	4
Technische Daten	5
Explosionszeichnung	6
Schließschema	10
Anschlußplan	14

Die vorliegenden Serviceunterlagen sind ausschließlich für technisch qualifizierte Fachkräfte bestimmt, welche mit den entsprechenden einschlägigen Sicherheitsvorschriften vertraut sind.
Änderungen vorbehalten

Ersatzteilliste



Pos-Nr.	12NC	Beschreibung
025 1	4819 460 89137	Dekorl.seitlich rechts
025 2	4819 460 89136	Dekorl.seitlich links
040 0	4819 417 19329	Scharnier
047 0	4819 417 19328	Fuehrung ,Türscharnier
110 0	4819 498 78065	Handgriff Tuer
110 1	4819 468 18349	Dichtung
110 2	4819 468 18347	Dichtung
110 5	4819 404 79499	Halterung Türgriff
121 0	4819 440 59716	Innentuer
141 0	4819 450 58372	Schauglas
142 0	4819 450 69623	Scheibe innen
142 3	4819 401 18801	Klemme
143 5	4819 532 68835	Distanzstueck
144 0	4819 460 89138	Profil ,Lüftung
144 5	4819 442 78354	Schutz
191 0	4819 468 18193	Dichtung ,Ofen
192 0	4819 466 69963	Dichtung ,Tür Innenglas
192 1	4819 468 18348	Dichtung
201 0	4819 440 59993	Rueckwand
204 0	4819 442 38137	Reflektor
245 0	4819 458 19941	Rost
247 0	4819 418 38335	Fettpfanne
301 0	4819 453 59193	Schalterblende
304 0	4819 460 89139	Profil
304 1	4819 460 78376	Zierleiste
320 0	4819 450 58417	Schalterleiste
331 0	4819 413 28017	Knopf
354 0	4819 134 48283	Signallampe ,rot
354 1	4819 134 48285	Signallampe ,orange
400 5	4819 361 58282	Motor Türverriegelung
440 0	4819 361 18335	Herdluefter
441 0	4819 361 18334	Luefter 24 W 230 V
452 0	4819 259 28961	Grill
456 0	4819 259 28959	Heizelement
491 0	4819 290 68326	Anschlussblock
503 0	4819 282 18704	Zeitschaltuhr ,180 min
554 0	4819 271 29085	Thermostat
554 5	4819 282 38038	Thermostat ,Pyrolyse
562 0	4819 282 48251	Thermostat 60°
564 0	4819 282 48252	Sicherheitsth. 127°
620 0	4819 273 28367	Schalter Dreefs
630 0	4819 417 58155	Hebel
630 1	4819 404 79498	Halterung
633 0	4819 271 38278	Schalter
650 0	4819 134 88164	Lampe,Herd Komplett
651 0	4819 134 88191	Lampe 15 W E14 240 V
651 1	4819 468 18019	Dichtung
743 9	4819 535 98667	Stift
747 0	4819 325 28027	Isolation
747 1	4819 462 58191	Abdeckung

Pos-Nr.	12NC	Beschreibung
747 2	4819 325 28028	Isolation
747 3	4819 442 39414	Katalysator
900 0	4819 492 68871	Feder
900 1	4819 492 68772	Feder
904 0	4819 535 98668	Stift
910 9	4819 502 18503	Schraube
930 0	4819 492 68869	Feder
950 0	4819 462 58395	Unterlage Gummi
962 0	4819 466 89455	Abdeckung

Einbauskizze


81000181

Technische Daten




81000181

Explosionszeichnung




81001138

Explosionszeichnung




81001139

Explosionszeichnung




81001136

Explosionszeichnung




81001137

Schließschema




81001138

Schließschema




81001139

Schließschema




81001136

Schließschema



81001137

Anschlußplan



4812 715 78508

Anschlußplan

D1: timer	M1: working fan (cooking fan)
B1: switch-commutator	M2: cooling fan
L1: oven lamp	M4: locking motor
C1: working thermostat	K2: thermostat warning light (red)
C4: pyrolytic thermostat	K3: locking door warning light (yellow)
C5: locking door thermostat	TP: test point
C6: cooling fan thermostat	W: terminal board
Z1-Z2: safety thermostat	SW1: up microswitch
E1: grill element	SW2: down microswitch
G1: up element	
H1: internal down element	
H2: external down element	
00 Black	88 Blue-sky
11 Brown	99 White
22 Red	90 Grey
33 Orange	45 Green-Yellow
44 Yellow	09 White-Black
55 Green	29 White-Red
66 Blue	49 White-Yellow
77 Violet	69 White-Blue

0

	PR1 - PRF	PR1 - PRP	FI - FP	FI - F	FI - FF	BPI - BPU	PR22 - MV	PR22 - MG	PR21 - L	PR3 - RV1	PR3 - RV2	PR3 - RG	PR3 - RC	PR3 - RSI	PR3 - RSE	I - U
POS.	1	2	3	4	5	6	7	8	17	18	19	20	21	22	23	24
0	9	10	11	-	13	14	15	16	25	26	-	28	29	-	31	32
0																
	1	X		X					X							X
	2	X		X			X		X							X
	3	X		X	X		X		X	X	X					X
	4	X		X	X				X				X	X		X
	5	X		X	X		X		X			X	X			X
	6	X		X	X				X			X				X
	7	X		X	X			X	X			X				X
	8		X	X		X	X					X			X	X

4812 715 78508