



Modèle:

**AQCF851BUFR**

Code commercial:

**61408**

## Notes générales

### Comment utiliser la documentation technique

---




---

Vous trouverez ici quelques informations générale pour simplifier la consultation de la documentation technique:

1. Les modèles d'une même gamme utilisent les mêmes vues éclatées. De ce fait un modèle ne comporte pas obligatoirement tous les repères présents sur les vues éclatées.
2. Certaines pièces détachées ne sont pas dessinées sur les vues éclatées (livrets d'instructions, kit spécifiques,...). Vous trouverez les codes dans la liste de pièces détachées sous le repère 099 ou 999. Les livrets d'instructions sont en repère 000.
3. En haut à droite de chaque vue éclatée, le numéro de série indique le début de production de la gamme. Certains modèles comportent plusieurs vues éclatées avec des numéros de série différents. Dans ce cas, le numéro de série figurant sur l'appareil est nécessaire pour identifier la pièces détachée correcte.
4. Les vues éclatées peuvent avoir des mises à jour ultérieures après publication. Les nouvelles pièces détachées figurent alors sur cette nouvelle version. Le numéro de mise à jour se retrouve dans les quatre derniers chiffre du numéro de série en haut à droite de la vue éclatée.
5. La liste de pièces détachées d'une vue éclatée comporte les codes SAV du modèle. Ces codes comportent d'autres informations:  
  
REF : Repère de la pièce sur la vue éclatée; REMPLACEMENT : liste de pièces de remplacement mais ayant les mêmes caractéristiques fonctionnelles.  
  
CODE INDUSTRIEL: Liste des modèles sur lesquels est utilisée la pièce détachée; NOTICE TECHNIQUE: Code de la notice technique à consulter afin de prendre connaissance des modifications techniques et troiuver la bonne pièce détachée.
6. Certaines notices techniques sont générales et ne sont liées à aucune pièce détachée. Afin d'éviter toute confusion, il faut faire attention à la section notice et constamment vérifier les mises à jour de la documentation.
7. La couverture de la documentation indique le nom du modèle et son code commercial

07471-05

Vue éclatée



07471-05


07471-05  
détachées

Liste de pièces

| Repè | Code SAV  | De S/N   | À S/N    | Remplacem     | Description                    | Notice   | Code |
|------|-----------|----------|----------|---------------|--------------------------------|----------|------|
| 301  | C00270409 |          |          |               | garniture                      |          |      |
| 301  | C00271224 |          |          |               | hublot complet silver bufr     |          |      |
| 307  | C00268262 |          |          |               | filtre aqualtis grey           | n4411g02 |      |
| 307  | C00286296 |          |          |               | filtre aqualtis white          | n4411g02 |      |
| 310  | C00268277 |          |          |               | plinthe blanche                |          |      |
| 311  | C00095621 |          |          | 1 x C00250894 | vis 8x1/2                      |          |      |
| 311  | C00250713 |          |          | 1 x C00194446 | screw 8x.5 p/pan               |          |      |
| 311  | C00268273 |          |          |               | panneau avant blanc            |          |      |
| 312  | C00268378 |          |          |               | micro-retardateur aqualtis     |          |      |
| 318  | C00268375 |          |          |               | joint hublot aqualtis grey     | n4411g03 |      |
| 318  | C00286480 |          |          |               | joint porte blanc aqualtis     | n4411g03 |      |
| 325  | C00268256 |          |          |               | couvercle blanc                |          |      |
| 330  | C00141612 |          |          |               | bande capteur                  |          |      |
| 330  | C00268614 |          |          | 1 x C00286664 | conduit air gris aqualtis      | n4411g08 |      |
| 330  | C00286664 |          |          |               | conduit air blanc aqualtis     | n4411g08 |      |
| 335  | C00142702 |          |          |               | thermostat                     |          |      |
| 336  | C00113889 |          |          |               | bouchon meuble hardware        |          |      |
| 337  | C00268264 |          |          |               | drum front seal                |          |      |
| 340  | C00113856 |          |          |               | flanc ' blanc fmd white        |          |      |
| 340  | C00122256 |          |          |               | vis 6x3/8                      |          |      |
| 347  | C00115798 |          |          |               | declic                         |          |      |
| 348  | C00273204 |          |          |               | crochet plinthe aqu            |          |      |
| 349  | C00142773 |          |          |               | joint conduit air              |          |      |
| 354  | C00283709 |          |          |               | couverture de roue protectrice |          |      |
| 355  | C00272906 |          |          |               | galet kit                      |          |      |
| 357  | C00268456 |          | 91101... | 1 x C00276320 | module d'affichage             | n4409k01 |      |
| 357  | C00276320 | 91102... |          |               | module d'affichage stand - by  | n4409k01 |      |
| 360  | C00272632 |          |          |               | poignee composants dgt new aq  |          |      |
| 366  | C00269319 |          |          |               | poignee                        |          |      |
| 367  | C00119125 |          |          |               | couvercle commandes blanc aqua |          |      |
| 367  | C00270724 |          |          |               | joint couvercle                |          |      |

07471-20

Vue éclatée



07471-20  
détachées

Liste de pièces


| Repè | Code SAV  | De S/N   | À S/N    | Remplacem     | Description                           | Notice   | Code |
|------|-----------|----------|----------|---------------|---------------------------------------|----------|------|
| 501  | C00269784 |          |          | 1 x C00286891 | panier dryer (plain) condenser        | n4411h00 |      |
| 501  | C00286891 |          |          |               | panier dryer textured condenser       | n4411h00 |      |
| 502  | C00113860 |          |          |               | joint panneau arriere                 |          |      |
| 502  | C00268532 |          |          |               | panneau arriere aqualtis              |          |      |
| 503  | C00142628 |          |          |               | palier arriere                        |          |      |
| 504  | C00142631 |          |          |               | support tambour                       |          |      |
| 505  | C00209008 |          |          | 1 x C00095551 | drive pin                             |          |      |
| 507  | C00118929 |          |          |               | cache plastique                       |          |      |
| 507  | C00259226 |          |          |               | insonorisation                        |          |      |
| 508  | C00095999 |          |          |               | cable alimentation                    |          |      |
| 509  | C00095556 |          |          |               | passe-cable                           |          |      |
| 509  | C00250833 |          |          |               | no7 hilo pozi screw                   |          |      |
| 510  | C00258640 |          |          |               | garniture arriere                     |          |      |
| 511  | C00264260 |          |          |               | couvercle resistance abs pad          |          |      |
| 511  | C00280898 | 00816... |          |               | couverture resistance bbc             | n4410f01 |      |
| 515  | C00113866 |          |          |               | tuyau de vidange                      |          |      |
| 515  | C00114676 |          |          |               | support filerie tuyau                 |          |      |
| 516  | C00268529 |          |          |               | pipe rubber 675mm                     |          |      |
| 521  | C00116598 |          |          |               | kit 2 thermostats (one                |          |      |
| 522  | C00258678 |          | 91122... |               | resistance a1                         | n4410j00 |      |
| 522  | C00277073 | 91123... | 00815... |               | resistance a2 2.05kw incl             | n4410j00 |      |
| 522  | C00280489 | 00816... |          |               | resistance assy a2 2.3kw bbc          | n4410f01 |      |
| 526  | C00208347 |          |          |               | collier d.19                          |          |      |
| 527  | C00226347 |          |          |               | turbine de ventilation kit            |          |      |
| 544  | C00095586 |          |          | 1 x C00250888 | vis                                   |          |      |
| 544  | C00268451 |          |          | 1 x C00271231 | filtre antiparasites                  |          |      |
| 545  | C00141607 |          |          | 1 x C00286905 | aube de tambour                       | n4411h00 |      |
| 545  | C00250835 |          |          |               | screw 5 x 23                          |          |      |
| 545  | C00286905 |          |          |               | aube de tambour curved                | n4411h00 |      |
| 547  | C00268612 |          |          | 1 x C00287014 | recipient complet eau                 |          |      |
| 548  | C00268610 |          |          |               | recipient complet eau aqualtis        |          |      |
| 549  | C00268401 |          |          |               | coude                                 |          |      |
| 550  | C00192903 |          |          |               | this item is not fitted to this model |          |      |
| 551  | C00269466 |          | 91122... |               | module a1 sw4.05.05 (for card)        | n4410j00 |      |
| 551  | C00277031 | 91123... | 00815... | 1 x C00280422 | module a2 sw4.05.08                   | n4410d00 |      |

07471-20  
détachées

Liste de pièces

| Repè | Code SAV  | De S/N   | À S/N    | Remplacem | Description                           | Notice   | Code |
|------|-----------|----------|----------|-----------|---------------------------------------|----------|------|
| 551  | C00280422 | 00816... |          |           | module a2 fw 4.5.14 bbc               | n4410j00 |      |
| 552  | C00192903 |          |          |           | this item is not fitted to this model |          |      |
| 553  | C00269322 |          |          |           | attache container adaptor             |          |      |
| 556  | C00116358 |          |          |           | courroie. (1991mm fitted)             |          |      |
| 557  | C00268409 |          |          |           | montant lateral aqualtis              |          |      |
| 558  | C00143511 |          |          |           | thermostat ntc (tod)                  |          |      |
| 562  | C00113897 |          |          |           | tuyau recipient complet eau           |          |      |
| 564  | C00268529 |          |          |           | pipe rubber 675mm                     |          |      |
| 565  | C00250889 |          |          |           | vis                                   |          |      |
| 566  | C00270213 |          | 91101... |           | card aqcf851bufr 8kb td               | n4410d00 |      |
| 566  | C00279481 | 91102... | 00815... |           | card aqcf851bufr 8kb td               | n4410d00 |      |
| 566  | C00281012 | 00816... |          |           | card aqcf851bufr 8kb                  | n4410f01 |      |
| 599  | C00269807 |          |          |           | cablage-float sw-pump-cap.            |          |      |
| 599  | C00269828 |          |          |           | cablage a1 ntc-door sw-interface-     |          |      |
| 599  | C00278088 |          |          |           | cablage a2 ntc-door sw-interface-     |          |      |
| 999  | C00269772 |          |          |           | service manual                        |          |      |

## Vue éclatée



# 07471-25 détachées

## Liste de pièces

| Repè | Code SAV  | De S/N   | À S/N    | Remplacem     | Description                        | Notice   | Code |
|------|-----------|----------|----------|---------------|------------------------------------|----------|------|
| 600  | C00258610 |          |          | 1 x C00287037 | socle gris                         |          |      |
| 600  | C00271612 |          |          |               | vis 14mm cond base                 |          |      |
| 611  | C00258878 |          |          |               | micro-interrupteur                 |          |      |
| 613  | C00275391 | 90929... |          | 1 x C00288996 | bague inlet cool fan b energy +7kg | n4409i00 |      |
| 613  | C00275440 |          | 90928... |               | cooling fan/inlet ring kit         | n4409i00 |      |
| 614  | C00208347 |          |          |               | collier d.19                       |          |      |
| 614  | C00272335 | 90929... |          |               | ventilateur 72mm                   | n4409i00 |      |
| 614  | C00275440 |          | 90928... |               | cooling fan/inlet ring kit         | n4409i00 |      |
| 617  | C00113878 |          |          |               | couvercle ventventilateur gris     |          |      |
| 621  | C00258619 |          |          |               | condensateur 8.5 uf.               | n4410f01 |      |
| 623  | C00113879 |          |          |               | tendeur courroie                   |          |      |
| 625  | C00258676 |          | 00815... |               | moteur 350                         | n4410f01 |      |
| 625  | C00270657 |          |          |               | vis m5x20                          |          |      |
| 625  | C00280423 | 00816... |          |               | moteur 362/363                     | n4410f01 |      |
| 626  | C00116358 |          |          |               | courroie. (1991mm fitted)          |          |      |
| 632  | C00195866 |          |          |               | flotteur                           |          |      |
| 633  | C00259700 |          |          |               | tourillon flotteur 75mm            |          |      |
| 634  | C00193127 |          |          |               | pompe                              |          |      |
| 635  | C00193187 |          |          | 1 x C00288932 | joint couvercle pompe/flotteur     |          |      |
| 636  | C00113889 |          |          |               | bouchon meuble hardware            |          |      |
| 637  | C00113890 | 00816... |          | 1 x C00287179 | condenseur 'ale70cfr'              | n4410f01 |      |
| 637  | C00258585 |          | 00815... |               | condenseur                         | n4410f01 |      |
| 650  | C00258863 |          | 00815... |               | convoyeur                          | n4410f01 |      |
| 651  | C00258597 |          |          |               | carter tables a encastrer          |          |      |
| 652  | C00258861 |          | 00815... |               | couvercle moteur                   | n4410f01 |      |
| 653  | C00258858 |          | 00815... |               | couvercle moteur                   | n4410f01 |      |
| 654  | C00258670 |          | 00815... |               | couvercle moteur                   | n4410f01 |      |

## Notices

### n4409i00: Modification ventilateur

---

Produits 7kg – B ENERGY

A partir du numéro de série 90914.0001, modification du ventilateur et de la bague de fixation.

En cas de remplacement du ventilateur sur des produits fabriqués avant ce numéro de série, commander le kit composé du nouveau ventilateur et de la bague de fixation.

Les codes SAV sont reportés dans la liste ci-dessous.

### n4409k01: Introduction of Interface Module with Stand-By

---

From serial number 91102.0001 a new interface module with 'Stand-By' was introduced on production and is fitted to all electronic tumble dryers. The "Stand-By" mode is activated after the machine has finished the programme. This module can be used as a direct replacement for the version without Stand-By.

### n4410d00: Settings file for 'Stand-By'

---

With the introduction of Stand – By from 2/11/09 (091102.0001) Indesit FMD & some Aqualtis models were given a new settings file to rev. 01\*. This will have an affect when replacing the electronic interface card and control module.

Service replacement of the electronic interface card will be of the Stand – By version

When replacing a control module or electronic interface card to a model manufactured before 091102.0001 use settings file rev.00.\* Stand – By is not affective.

When replacing a control module or electronic interface card to a model manufactured from 091102.0001 uses settings file rev.01.\* Stand – By is affective.

Two versions of control module are used on this product identified as A1 & A2, all models produced with the A2 module are fitted with the Stand – By version of electronic interface card and settings file Re. 01\*

\*Model AQCF851BUFR - 61408 settings file changes from rev.01. to 02.

See notice n4409k02 for further information on control the module

#### n4410f01: B Energy BOM Changes

---

From 16/08/2010, Serial No.0816.0001 the build of some 7.Kg, 7.5Kg & 8Kg level 2 and level 3 B Energy rated condenser dryers changed to a new B Energy build using an A2 control module with 4.5.14 firmware along with a new type 362 motor and 2.3Kw insulated heater assembly. The base unit is based on the Aqualtis B Energy but using the C Energy type condenser unit with the base duct and motor covers removed.

#### n4410j00: A2 MODULE-DELTA HEATER/BBC CHANGES

---


##### A2 MODULE / DELTA HEATER INTRODUCTION

During week commencing 23/11/2009 Serial No.91123.0001 a new A2 power module and heater assembly was introduced in production. This change was gradually introduced starting from the above date with full production due by week commencing 2/01/2010 Serial No.100102.0001. During this period production may vary from the original build to the A2 build depending on availability of A2 components, so to enable easy identification for models produced with the A2 power module and heater assembly, there will be a circular BLUE label ( see Attached image) attached to the rear of the machine near the appliance rating plate. The label will be discontinued when full production of A2 module and heater is achieved on 02/01/2010.

##### CHANGES TO BUILD OF B ENERGY MODELS FROM 16.08.10 Known as BBC

From 16/08/2010, Serial No. 0816.0001 the build of some 7.Kg, 7.5Kg & 8Kg level 2 and level 3 B Energy rated condenser dryers changed to a new B Energy build using an A2 control module with 4.5.14 firmware along with a new type 362 motor and 2.3Kw insulated heater assembly.

The base unit is based on the Aqualtis B Energy but using the C Energy type condenser unit with the base duct and motor covers removed.



#### n4411g02: AQUALTIS TUMBLE DRYERS FILTERS

---

FROM JUNE 2011 THE FLUFF FILTER FITTED TO AQUALTIS TUMBLE DRYER CHANGED IN PRODUCTION FROM GREY TO WHITE.

SELECTED THE CORRECT PART BY DESCRIPTION IN THE PARTS LIST

#### n4411g03: AQUALTIS DOOR SEAL COLOUR CHANGE

---

ON SELECTED TUMBLE DRYERS FROM JUNE 2011 THE DOOR SEAL COLOUR CHANGED FROM GREY TO WHITE.  
SELECTED THE CORRECT PART BY DESCRIPTION IN THE PARTS LIST

#### n4411g08: COLOUR CHANGE FRONT AIR DUCT AQUALTIS DRYER

---

FROM JUNE 2011 THE FRONT AIR DUCT FITTED TO AQUALTIS TUMBLE DRYERS CHANGED IN PRODUCTION  
FROM GREY TO WHITE.  
SELECTED THE CORRECT PART BY DESCRIPTION IN THE PARTS LIST

#### n4411h00: CHANGES TO THE AQUALTIS DRUM AND LIFTERS

---

FROM JULY 2011 THE DRUM FITTED TO AQUALTIS TUMBLE DRYERS CHANGED IN PRODUCTION FROM PLAIN  
TO A TEXTURED INSIDE.  
WITH THIS CHANGE THE DRUM LIFTERS CHANGED FROM STRAIGHT TO CURVED.  
  
SELECTED THE CORRECT PART BY DESCRIPTION IN THE PARTS LIST